

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 1 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 1000 | 10293808 | EPA/600/8-78/017 p. 1 | FB-QN |
| 1001 | 20227263 | SM 9221 E-2014 | FB-QN |
| 1002 | 10293604 | EPA/600/8-78/017 p. 1 | MF-QN |
| 1003 | 20209238 | SM 9222 D | MF-QN |
| 1003 | 20210019 | SM 9222 D-2006 | MF-QN |
| 1003 | 20210020 | SM 9222 D-2015 | MF-QN |
| 1004 | 40000406 | USGS B-0050-85 | MF |
| 1005 | 10293400 | EPA/600/8-78/017 p. 1 | FB-QN |
| 1006 | 20191289 | SM 9221 B-2014 | FB-QN |
| 1007 | 10293206 | EPA/600/8-78/017 p. 1 | MF-QN |
| 1008 | 20037063 | SM 9222 A | MF-QN |
| 1008 | 20037074 | SM 9222 A | MF-QN |
| 1008 | 20197788 | SM 9222 B | MF-QN |
| 1008 | 20199604 | SM 9222 B (LES Endo) | MF-QN |
| 1008 | 20202408 | SM 9222 B (LES Endo) | MF-QN |
| 1008 | 20203401 | SM 9222 B (m-Endo) | MF-QN |
| 1008 | 20206206 | SM 9222 B (m-Endo) p | MF-QN |
| 1008 | 20208202 | SM 9222 B 5d enrichm | MF-QN |
| 1008 | 20209001 | SM 9222 C | MF-QN |
| 1008 | 20209034 | SM 9222 C | MF-QN |
| 1009 | 40000202 | USGS B-0025-85 | MF-QN |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 2 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|---|----------------------|
| 1010 | 20186010 | SM 9221 B | FB-QN |
| 1010 | 20187002 | SM 9221 B plus C | FB-QN |
| 1011 | 20208439 | SM 9222 B-2015 | MF-QN |
| 1012 | 20003207 | SM 2330 B | CALC |
| 1012 | 20003252 | SM 2330 B | CALC |
| 1012 | 20003309 | SM 2330 B | CALC |
| 1012 | 20003354 | SM 2330 B | CALC |
| 1012 | 20003365 | SM 2330 B | CALC |
| 1016 | 20231612 | SM 9223 B (Colisure) | CF-QL |
| 1016 | 60029609 | Colisure | CF-QL |
| 1019 | 10180208 | EPA 8100 | GC-FID |
| 1021 | 20197802 | SM 9222 B (LES Endo) | MF-F-QL |
| 1021 | 20198009 | SM 9222 B (LES Endo) | MF-F-QL |
| 1021 | 20198203 | SM 9222 B (LES Endo) | MF-F-QL |
| 1021 | 20202806 | SM 9222 B (m-Endo) | MF-F-QL |
| 1021 | 20203003 | SM 9222 B (m-Endo) | MF-F-QL |
| 1021 | 60033401 | Appl Environ Microbiol. | MF-F-QL |
| 1022 | 20131208 | SM 4500-SO ₄ ⁻ C | GRAV |
| 1022 | 20131413 | SM 4500-SO ₄ ⁻ C-2011 | GRAV |
| 1023 | 20126414 | SM 4500-S ₂ ⁻ F | TITR |
| 1023 | 20126663 | SM 4500-S ₂ ⁻ F-2011 | TITR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 3 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 1024 | 60032602 | SimPlate | F-HPC-QN |
| 1026 | 60039909 | FGS-136 | CVAFS |
| 1029 | 60030004 | Colitag | CF-QL |
| 1031 | 10246807 | EPA TO-1 | GC-MS |
| 1032 | 10312273 | EPA TO-2 | GC-MS |
| 1035 | 10241802 | EPA/600/4-81-045 | GC-ECD |
| 1036 | 10406005 | EPA Method 8 (Titric | TITR |
| 1037 | 60006500 | Orion 601 | POT |
| 1038 | 20037712 | SM 9230 B | FB-QN |
| 1038 | 20217634 | SM 9230 B-2013 | FB-QN |
| 1039 | 30032407 | ASTM D6503-99 | PAF-QN |
| 1040 | 20219685 | SM 9230 D | PAF-QN |
| 1040 | 20219696 | SM 9230 D-2013 | PAF-QN |
| 1040 | 60030208 | Enterolert | PAF-QN |
| 1041 | 10235004 | EPA 1106.1 | MF-QN |
| 1042 | 20217690 | SM 9230 C-2013 | MF-QN |
| 1043 | 30031802 | ASTM D5259-92 | MF-QN |
| 1044 | 10257257 | EPA 1600 | MF-QN |
| 1045 | 10294403 | EPA/600/8-78/017 p. 1 | PP-QN |
| 1046 | 20064602 | SM 3500-Ca B | TITR |
| 1046 | 20064806 | SM 3500-Ca B | TITR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 4 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 1046 | 20064817 | SM 3500-Ca B | TITR |
| 1046 | 20064840 | SM 3500-Ca B | TITR |
| 1046 | 20065003 | SM 3500-Ca B-1997 | TITR |
| 1046 | 20065014 | SM 3500-Ca B-2011 | TITR |
| 1047 | 20226055 | SM 9221 B.2 plus F-20 | FB-QN |
| 1048 | 50000254 | AOAC 991.15 | FB-QN |
| 1049 | 20202420 | SM 9222 B (m- Endo) | MF-QN |
| 1052 | 30032009 | ASTM D5392-93 | MF-QN |
| 1053 | 10236154 | EPA 1603 | MF-QN |
| 1053 | 10236165 | EPA 1603 | MF-QN |
| 1054 | 10236405 | EPA 1604 (MI Medium | MF-QN |
| 1062 | 30021911 | ASTM D5907-13 | GRAV |
| 1063 | 10248405 | EPA TO-13A | GC-MS |
| 1065 | 40012100 | USGS I-4020-05 | CRC-ICP/MS |
| 1066 | 40015201 | USGS I-1020-85 | TITR |
| 1067 | 20062413 | SM 3500-Al B | COLOR |
| 1067 | 20062662 | SM 3500-Al B-2011 | COLOR |
| 1070 | 20063814 | SM 3500-As B | COLOR |
| 1070 | 20064011 | SM 3500-As B-2011 | COLOR |
| 1071 | 50000549 | AOAC 993.30 | IC |
| 1072 | 30001344 | ASTM D512-04C | POT |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 5 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 1075 | 20078426 | SM 4500-CI B-2011 | TITR |
| 1081 | 20055816 | SM 3111 C | FAAS |
| 1081 | 20056319 | SM 3111 C-2011 | FAAS |
| 1083 | 20066619 | SM 3500-Cr C | IC |
| 1083 | 20068364 | SM 3500-Cr C-2011 | IC |
| 1084 | 30031744 | ASTM D5257-11 | IC |
| 1085 | 50000527 | AOAC 993.23 | IC |
| 1086 | 20067418 | SM 3500-Cu B | COND |
| 1086 | 20067667 | SM 3500-Cu B-2011 | COND |
| 1088 | 20068262 | SM 3500-Cu C-2011 | COLOR |
| 1089 | 60005303 | Kelada-01 | AUTO |
| 1092 | 20068819 | SM 3500-Fe B | COLOR |
| 1092 | 20069016 | SM 3500-Fe B-2011 | COLOR |
| 1093 | 50002205 | AOAC 973.48 | TITR |
| 1094 | 30016865 | ASTM D3590-11B | AUTO |
| 1095 | 60031609 | OIA PAI-DK01 | AUTO |
| 1097 | 60032000 | OIA PAI-DK03 | AUTO |
| 1098 | 40018200 | USGS I-4403-89 | GFAAS |
| 1099 | 20073818 | SM 3500-Pb B-2011 | COLOR |
| 1102 | 10117201 | EPA 1030 | IGNT |
| 1103 | 90012230 | NIOSH 7082 | FAAS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 6 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 1104 | 30030865 | ASTM D4239-08 | TITR |
| 1105 | 30000409 | ASTM D240-92 | 99 |
| 1106 | 30024589 | ASTM D1989-97 | 99 |
| 1109 | 20111415 | SM 4500-NH3 G-2011 | AUTO |
| 1110 | 20046804 | SM 2340 C | TITR |
| 1110 | 20047001 | SM 2340 C | TITR |
| 1110 | 20047205 | SM 2340 C | TITR |
| 1110 | 20047409 | SM 2340 C | TITR |
| 1110 | 20047410 | SM 2340 C | TITR |
| 1110 | 20047614 | SM 2340 C-2011 | TITR |
| 1111 | 20112214 | SM 4500-NH3 H-2011 | AUTO |
| 1112 | 10406709 | EPA Method IP-6A | HPLC-FLUOR |
| 1113 | 10247504 | EPA TO-10A (GC/ECD) | GC-ECD |
| 1114 | 60032408 | ReadiCult | CF-QL |
| 1119 | 60002508 | Chromocult | MF-QL |
| 1130 | 20072019 | SM 3500-Mn B | COLOR |
| 1130 | 20072268 | SM 3500-Mn B-2011 | COLOR |
| 1131 | 10038105 | EPA 245.7 | CVAFS |
| 1132 | 40018608 | USGS I-4503-89 | GFAAS |
| 1134 | 40013205 | USGS I-4600-85 | AUTO |
| 1135 | 20069801 | SM 3500-K B-1997 | COLOR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 7 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|--------------------------------|----------------------|
| 1136 | 40019601 | USGS I-4724-89 | GFAAS |
| 1137 | 20072815 | SM 3500-Na B | FAAS |
| 1137 | 20073012 | SM 3500-Na B-2011 | FAAS |
| 1138 | 20127064 | SM 4500-S2 ⁻ G-2011 | POT |
| 1139 | 30019739 | ASTM D4658-09 | POT |
| 1140 | 20074413 | SM 3500-V B | COLOR |
| 1140 | 20074617 | SM 3500-V B-2011 | COLOR |
| 1142 | 30020805 | ASTM D5812-96 (02) | GC-ECD |
| 1143 | 30010801 | ASTM D1943-90 (GPC) | PROP CNT |
| 1143 | 30024421 | ASTM D1943-96 (GPC) | PROP CNT |
| 1144 | 30010607 | ASTM D1890-90 | PROP CNT |
| 1144 | 30010629 | ASTM D1890-96 | PROP CNT |
| 1145 | 10277608 | EPA 326.0 | IC |
| 1146 | 10056403 | EPA 321.8 | IC |
| 1147 | 10237806 | EPA 327.0 | COLOR |
| 1150 | 90016005 | GA Ra-226/228 | GAMMA CNT |
| 1151 | 90000401 | DOE EML Ga-01-R | GAMMA CNT |
| 1152 | 10210807 | EMSL-LV p. 19 | SCIN CNT |
| 1153 | 10211402 | EMSL-LV p. 87 | SCIN CNT |
| 1154 | 10311203 | EPA H-02 | SCIN CNT |
| 1155 | 20032604 | SM 7500-U C | COLOR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 8 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 1156 | 10239608 | EPA 552.3 | GC-ECD |
| 1159 | 90012003 | DOE EML U-04-RC | COLOR |
| 1163 | 20052215 | SM 2540 F-2011 | GRAV |
| 1165 | 20042608 | SM 2130 B | COLOR |
| 1165 | 20042619 | SM 2130 B | COLOR |
| 1165 | 20042631 | SM 2130 B | COLOR |
| 1165 | 20048219 | SM 2130 B-2001 | COLOR |
| 1165 | 20048220 | SM 2130 B-2011 | COLOR |
| 1166 | 10011800 | EPA 180.1 | COLOR |
| 1167 | 60030402 | GLI Method 2 | COLOR |
| 1168 | 60004300 | HACH 10133 | COLOR |
| 1178 | 20071209 | SM 3500-Mg E | TITR |
| 1179 | 20070400 | SM 3500-Mg B | TITR |
| 1179 | 20070411 | SM 3500-Mg B | TITR |
| 1179 | 20070444 | SM 3500-Mg B | TITR |
| 1179 | 20070604 | SM 3500-Mg B-1997 | TITR |
| 1180 | 20129004 | SM 4500-SiO2 D | COLOR |
| 1180 | 20129015 | SM 4500-SiO2 D | COLOR |
| 1180 | 20129037 | SM 4500-SiO2 D | COLOR |
| 1180 | 20129208 | SM 4500-SiO2 D-1997 | COLOR |
| 1181 | 20129606 | SM 4500-SiO2 E | AUTO |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 9 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|----------------|-----------------|-----------------------|---------------|
| 1181 | 20129800 | SM 4500-SiO2 E-1997 | AUTO |
| 1185 | 10213975 | EPA 200.5 | ICP-AES |
| 1186 | 10239211 | EPA 415.3 | IR |
| 1191 | 60031256 | Mitchell Method M527: | COLOR |
| 1191 | 90017100 | Mitchell Method M527: | COLOR |
| 1192 | 60031290 | Mitchell Method M533: | COLOR |
| 1193 | 90015502 | Orion AQ4500 | COLOR |
| 1194 | 90019082 | Systea Easy (1-Reager | AUTO |
| 1194 | 90019106 | Systea Easy (1-Reager | AUTO |
| 1194 | 90019117 | Systea Easy (1-Reager | AUTO |
| 1195 | 90017553 | ME355.01 | GC-MS |
| 1197 | 10134108 | EPA 302.0 | IC-COND |
| 1198 | 10097300 | EPA 557 | IC-ESI-MS |
| 1199 | 10239222 | EPA 415.3 | IR |
| 1205 | 60001301 | AMI Turbiwell | TURB |
| 1207 | 60032306 | Modified Colitag | CF-QL |
| 1208 | 10245622 | EPA EQL-0310-189 | ICP-MS |
| 1209 | 30030752 | ASTM D4059-00(2005) | GC-ECD |
| 1214 | 20186009 | SM 9221 B | FB-QL |
| 1215 | 20037063 | SM 9222 A | MF-QL |
| 1215 | 20037074 | SM 9222 A | MF-QL |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 10 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 1215 | 20197788 | SM 9222 B | MF-QL |
| 1215 | 20198407 | SM 9222 B (LES Endo) | MF-QL |
| 1215 | 20203401 | SM 9222 B (m-Endo) | MF-QL |
| 1215 | 20209001 | SM 9222 C | MF-QL |
| 1215 | 20209034 | SM 9222 C | MF-QL |
| 1216 | 60005734 | HACH 10258 | TURB |
| 1216 | 60005767 | HACH 10258 | TURB |
| 1221 | 10294209 | EPA/600/8-78/017 p. 1 | FB-QN |
| 1223 | 60048466 | VAEL SOP SM 4500-P I | AUTO |
| 1224 | 20197448 | SM 9221 F | FB-QN |
| 1224 | 20197620 | SM 9221 F-2014 | FB-QN |
| 1248 | 10059742 | EPA 332.0 | HPLC-ESMS |
| 1253 | 60033230 | Thermo Fisher Method | IC-UV |
| 1254 | 40012100 | USGS I-4020-05 | IC-MS |
| 1255 | 40018459 | USGS I-4472-97 | IC-MS |
| 1256 | 40017605 | USGS I-4243-89 | GFAAS |
| 1283 | 50000992 | AOAC 973.40 | COND |
| 1283 | 50001008 | AOAC 973.40 | COND |
| 1286 | 10244403 | EPA 9040C | POT |
| 1287 | 10198455 | EPA 9045D | POT |
| 1288 | 60031803 | OIA PAI-DK02 | AUTO |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 11 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 1400 | 10311805 | EPA TO-11A | HPLC-UV |
| 1401 | 10312206 | EPA TO-17 | GC-MS |
| 1403 | 20043601 | SM 2150 B | 99 |
| 1403 | 20043612 | SM 2150 B | 99 |
| 1403 | 20043634 | SM 2150 B | 99 |
| 1403 | 20043805 | SM 2150 B-1997 | 99 |
| 1404 | 20106610 | SM 4500-NH3 C | TITR |
| 1404 | 20108412 | SM 4500-NH3 C-2011 | TITR |
| 1514 | 10088503 | EPA 515.4 | GC-ECD |
| 1600 | 10087806 | EPA 515.2 | GC-ECD |
| 1600 | 10088003 | EPA 515.2 | GC-ECD |
| 1601 | 10096807 | EPA 555 | HPLC-UV |
| 1602 | 20030915 | SM 6610 B | HPLC-FLUOR |
| 1602 | 20030926 | SM 6610 B | HPLC-FLUOR |
| 1602 | 20030937 | SM 6610 B | HPLC-FLUOR |
| 1602 | 20152414 | SM 6610 B-2004 | HPLC-FLUOR |
| 1604 | 20155800 | SM 6651 B | HPLC-UV |
| 1604 | 20155811 | SM 6651 B | HPLC-UV |
| 1604 | 20155833 | SM 6651 B-2005 | HPLC-UV |
| 1604 | 20155855 | SM 6651 B | HPLC-UV |
| 1604 | 20156007 | SM 6651 B-2000 | HPLC-UV |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 12 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 1605 | 30017948 | ASTM D3859-03B | GFAAS |
| 1605 | 30017993 | ASTM D3859-08B | GFAAS |
| 1605 | 30029404 | ASTM D3859-98B | GFAAS |
| 1607 | 10088401 | EPA 515.3 | GC-ECD |
| 1608 | 30020407 | ASTM D5317-93 | GC-ECD |
| 1608 | 30020509 | ASTM D5317-98 (03) | GC-ECD |
| 1610 | 10093400 | EPA 549.2 | HPLC-UV |
| 1611 | 10091653 | EPA 536 | HPLC-ESMS |
| 1612 | 10088581 | EPA 523 | GC-MS |
| 1613 | 10287500 | EPA 525.3 | GC-MS |
| 1631 | 10237204 | EPA 1631E | CVAFS |
| 1653 | 10125403 | EPA 1653A | GC-MS |
| 1656 | 10125801 | EPA 1656 | GC-ECD |
| 1658 | 10126202 | EPA 1658 | GC-ECD |
| 1664 | 10127807 | EPA 1664A | GRAV |
| 1665 | 10261617 | EPA 1664B | GRAV |
| 1668 | 10262007 | EPA 1668A | GC-HRMS |
| 1669 | 10262052 | EPA 1668B | GC-HRMS |
| 1670 | 10262109 | EPA 1668C | GC-HRMS |
| 1671 | 10130004 | EPA 1671 | GC-FID |
| 1677 | 60031405 | OIA 1677 | AMP |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 13 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 1677 | 60031450 | OIA 1677-09 | AMP |
| 2004 | 30021637 | ASTM D1125-14A | COND |
| 2005 | 30003759 | ASTM D1067-06B | TITR |
| 2005 | 30003760 | ASTM D1067-11B | TITR |
| 2005 | 30003772 | ASTM D1067-16 | TITR |
| 2006 | 40001205 | USGS I-1030-85 | TITR |
| 2007 | 50001213 | AOAC 973.43 | TITR |
| 2008 | 10055206 | EPA 310.2 | COLOR |
| 2009 | 40005003 | USGS I-2030-85 | AUTO |
| 2013 | 30008254 | ASTM D1688-07A | FAAS |
| 2013 | 30008312 | ASTM D1688-12A | FAAS |
| 2014 | 40005809 | USGS I-3051-85 | FAAS |
| 2017 | 10013806 | EPA 200.7 | ICP-AES |
| 2023 | 30007375 | ASTM D1426-08A | COLOR |
| 2024 | 40009209 | USGS I-3520-85 | COLOR |
| 2025 | 50002614 | AOAC 973.49 | COLOR |
| 2029 | 30007397 | ASTM D1426-08B | POT |
| 2031 | 10063602 | EPA 350.1 | AUTO |
| 2034 | 40012406 | USGS I-4523-85 | AUTO |
| 2035 | 60000604 | Technicon 379-75WE | AUTO |
| 2042 | 30012534 | ASTM D2972-03B | HGAAS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 14 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 2042 | 30012556 | ASTM D2972-08B | HGAAS |
| 2042 | 30025800 | ASTM D2972-97B | HGAAS |
| 2043 | 40006200 | USGS I-3062-85 | HGAAS |
| 2047 | 30012567 | ASTM D2972-08A | COLOR |
| 2048 | 40006006 | USGS I-3060-85 | COLOR |
| 2050 | 40006404 | USGS I-3084-85 | FAAS |
| 2053 | 30016956 | ASTM D3645-08A | FAAS |
| 2054 | 40006608 | USGS I-3095-85 | FAAS |
| 2058 | | | TITR |
| 2059 | 40003609 | USGS I-1578-78 | TITR |
| 2063 | 60030446 | In-Situ 1003-8-2009 | TITR |
| 2064 | 40006802 | USGS I-3112-85 | COLOR |
| 2066 | 30006123 | ASTM D1246-10 | TITR |
| 2067 | 40001409 | USGS I-1125-85 | TITR |
| 2071 | 30014018 | ASTM D3557-12A | FAAS |
| 2071 | 30014029 | ASTM D3557-12B | FAAS |
| 2072 | 60002586 | ANSI PH4.37-1975, P. | FAAS |
| 2073 | 40013603 | USGS I-3135-85 | FAAS |
| 2074 | 40016408 | USGS I-3136-85 | FAAS |
| 2077 | 60030457 | In-Situ 1004-8-2009 | TITR |
| 2078 | 30014030 | ASTM D3557-12C | ASV |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 15 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|---------------------------|----------------------|
| 2081 | 30000589 | ASTM D511-09B | FAAS |
| 2081 | 30000625 | ASTM D511-14B | FAAS |
| 2082 | 40007009 | USGS I-3152-85 | FAAS |
| 2085 | 30000567 | ASTM D511-09A | TITR |
| 2085 | 30000614 | ASTM D511-14A | TITR |
| 2086 | 10310200 | EPA 906.0 | SCIN CNT |
| 2089 | 30006156 | ASTM D1252-06A | COLOR |
| 2090 | 60042344 | MACHERY-NAGEL Gmt | COLOR |
| 2091 | 50001815 | AOAC 973.46 | TITR |
| 2093 | 10076809 | EPA 410.3 | TITR |
| 2094 | 40009403 | USGS I-3560-85 | TITR |
| 2096 | 60002553 | ANSI PH4.37-1975, P. | TITR |
| 2097 | 60003001 | HACH 8000 | COLOR |
| 2098 | 10077404 | EPA 410.4 | COLOR |
| 2099 | 60032033 | OIC COD | COLOR |
| 2101 | 30001388 | ASTM D512-04B | TITR |
| 2102 | 40001603 | USGS I-1183-85 | TITR |
| 2104 | 20078426 | SM 4500-Cl B-2011 | TITR |
| 2104 | 20084406 | SM 4500-Cl ⁻ B | TITR |
| 2104 | 20084417 | SM 4500-Cl ⁻ B | TITR |
| 2104 | 20084451 | SM 4500-Cl ⁻ B | TITR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 16 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|--------------------------------|----------------------|
| 2104 | 20084508 | SM 4500-Cl ⁻ B | TITR |
| 2104 | 20084600 | SM 4500-Cl ⁻ B-1997 | TITR |
| 2104 | 20084611 | SM 4500-Cl ⁻ B-2011 | TITR |
| 2105 | 30001366 | ASTM D512-04A | TITR |
| 2105 | 30001377 | ASTM D512-12B | TITR |
| 2105 | 30001388 | ASTM D512-04B | TITR |
| 2107 | 50003015 | AOAC 973.51 | TITR |
| 2109 | 40002004 | USGS I-1187-85 | COLOR |
| 2113 | 40005207 | USGS I-2187-85 | COLOR |
| 2130 | 40002402 | USGS I-1232-85 | FAAS |
| 2131 | 40002208 | USGS I-1230-85 | COLOR |
| 2135 | 40007203 | USGS I-3236-85 | FAAS |
| 2139 | 30008356 | ASTM D1687-12B | FAAS |
| 2144 | 20041810 | SM 2120 F-2011 | COLOR |
| 2145 | 40007407 | USGS I-3239-85 | FAAS |
| 2150 | 60031201 | NCASI Technical Bullet | COLOR |
| 2153 | 40002606 | USGS I-1250-85 | COLOR |
| 2158 | 30008312 | ASTM D1688-12A | FAAS |
| 2158 | 30008345 | ASTM D1688-12B | FAAS |
| 2159 | 40016806 | USGS I-3271-85 | FAAS |
| 2160 | 50004198 | AOAC 974.27 | FAAS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 17 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 2165 | 60004004 | HACH 8506 | COLOR |
| 2167 | 30021999 | ASTM D6160-98 (12) | GC-ECD |
| 2170 | 60002564 | ANSI PH4.37-1975, P. | TITR |
| 2174 | 40007601 | USGS I-3300-85 | COLOR |
| 2185 | 30005415 | ASTM D1179-16B | POT |
| 2185 | 30005426 | ASTM D1179-04B | POT |
| 2185 | 30005437 | ASTM D1179-10B | POT |
| 2186 | 40012202 | USGS I-4327-85 | POT |
| 2189 | 30005459 | ASTM D1179-10A | COLOR |
| 2193 | 10031002 | EPA 231.2 | GFAAS |
| 2194 | 10006798 | EPA 130.1 | COLOR |
| 2197 | 30005288 | ASTM D1126-12 | TITR |
| 2198 | 40002800 | USGS I-1338-85 | TITR |
| 2210 | 30004149 | ASTM D1068-10A | FAAS |
| 2211 | 30004150 | ASTM D1068-10B | FAAS |
| 2212 | 40007805 | USGS I-3381-85 | FAAS |
| 2216 | 30004161 | ASTM D1068-10C | COLOR |
| 2217 | 60003205 | HACH 8008 | COLOR |
| 2221 | 10064809 | EPA 351.1 | AUTO |
| 2225 | 30007397 | ASTM D1426-08B | POT |
| 2227 | 30007375 | ASTM D1426-08A | POT |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 18 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 2228 | 40018802 | USGS I-4515-91 | AUTO |
| 2230 | 10065404 | EPA 351.2 | AUTO |
| 2234 | 30015373 | ASTM D3559-08A | FAAS |
| 2235 | 30015384 | ASTM D3559-08B | FAAS |
| 2236 | 40008002 | USGS I-3399-85 | FAAS |
| 2239 | 30015395 | ASTM D3559-08C | ASV |
| 2243 | 40008206 | USGS I-3447-85 | FAAS |
| 2255 | 50000594 | AOAC 920.203 | COLOR |
| 2256 | 60003603 | HACH 8034 | COLOR |
| 2258 | 10036609 | EPA 245.1 | CVAAS |
| 2260 | 30013399 | ASTM D3223-12 | CVAAS |
| 2261 | 40008604 | USGS I-3462-85 | CVAAS |
| 2262 | 50004416 | AOAC 977.22 | CVAAS |
| 2263 | 10271406 | EPA 245.2 | CVAAS |
| 2265 | 40008808 | USGS I-3490-85 | FAAS |
| 2268 | 30025344 | ASTM D1886-08A | FAAS |
| 2269 | 30025366 | ASTM D1886-08B | FAAS |
| 2270 | 40009005 | USGS I-3499-85 | FAAS |
| 2273 | 10066601 | EPA 352.1 | COLOR |
| 2276 | 50002818 | AOAC 973.50 | COLOR |
| 2281 | 10067604 | EPA 353.2 | AUTO |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 19 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 2289 | 60004208 | HACH 8507 | COLOR |
| 2290 | 40012600 | USGS I-4540-85 | AUTO |
| 2292 | 10078601 | EPA 415.2 | IR |
| 2294 | 40014708 | USGS Book 5 Chapter | IR |
| 2295 | 30033182 | ASTM D7573-09 | IR |
| 2296 | 30037004 | ASTM D4839-03 | IR |
| 2297 | 50002090 | AOAC 973.47 | IR |
| 2299 | 10070005 | EPA 365.1 | AUTO |
| 2301 | 40013409 | USGS I-4601-85 | AUTO |
| 2305 | 50003797 | AOAC 973.55 | AUTO |
| 2306 | 10070801 | EPA 365.3 | COLOR |
| 2307 | 30001800 | ASTM D515-88B | AUTO |
| 2308 | 60031234 | NCASI TNTP-W10900 | COLOR |
| 2313 | 50001393 | AOAC 973.44 | TITR |
| 2319 | 10041404 | EPA 253.2 | GFAAS |
| 2321 | 10079400 | EPA 420.1 | COLOR |
| 2330 | 50004018 | AOAC 973.56 | AUTO |
| 2332 | 40019203 | USGS I-4610-91 | AUTO |
| 2333 | 10071202 | EPA 365.4 | AUTO |
| 2336 | 10042203 | EPA 255.2 | GFAAS |
| 2338 | 40010002 | USGS I-3630-85 | FAAS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 20 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 2339 | 50003413 | AOAC 973.53 | FAAS |
| 2345 | 40010808 | USGS I-3750-85 | GRAV |
| 2348 | 40004602 | USGS I-1750-85 | GRAV |
| 2351 | 40011209 | USGS I-3765-85 | GRAV |
| 2352 | 10010409 | EPA 160.4 | GRAV |
| 2363 | 30017926 | ASTM D3859-03A | HGAAS |
| 2363 | 30017959 | ASTM D3859-08A | HGAAS |
| 2363 | 30029200 | ASTM D3859-98A | HGAAS |
| 2364 | 40010206 | USGS I-3667-85 | HGAAS |
| 2367 | 30002972 | ASTM D859-05 | COLOR |
| 2367 | 30002983 | ASTM D859-10 | COLOR |
| 2368 | 40004408 | USGS I-1700-85 | COLOR |
| 2369 | 40005605 | USGS I-2700-85 | AUTO |
| 2376 | 40010604 | USGS I-3735-85 | FAAS |
| 2377 | 50003593 | AOAC 973.54 | FAAS |
| 2379 | 10006403 | EPA 120.1 | COND |
| 2381 | 30005200 | ASTM D1125-95A (99) | COND |
| 2382 | 40016204 | USGS I-2781-85 | COND |
| 2389 | 50000798 | AOAC 925.54 | GRAV |
| 2390 | 10073800 | EPA 375.4 | COLOR |
| 2392 | 30002234 | ASTM D516-07 | TURB |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 21 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 2392 | 30002245 | ASTM D516-11 | TURB |
| 2392 | 30002267 | ASTM D516-16 | TURB |
| 2395 | 40011403 | USGS I-3840-85 | TITR |
| 2403 | 30011393 | ASTM D2330-02 | COLOR |
| 2403 | 30011406 | ASTM D2330-88 | COLOR |
| 2408 | 10048609 | EPA 279.2 | GFAAS |
| 2410 | 40011607 | USGS I-3850-78 | FAAS |
| 2413 | 10050609 | EPA 283.2 | FAAS |
| 2416 | 30010390 | ASTM D1889-00 | COLOR |
| 2417 | 40011801 | USGS I-3860-85 | COLOR |
| 2424 | 30009484 | ASTM D1691-12A | FAAS |
| 2425 | 40012008 | USGS I-3900-85 | FAAS |
| 2427 | 10052605 | EPA 289.2 | GFAAS |
| 2428 | 30009495 | ASTM D1691-12B | FAAS |
| 2430 | 60005687 | HACH 10242 | AUTO |
| 2431 | 60003409 | HACH 8009 | COLOR |
| 2432 | 20075212 | SM 3500-Zn B | COLOR |
| 2448 | 60000808 | Technicon 380-75WE | POT |
| 2451 | 60000400 | Technicon 129-71W | AUTO |
| 2458 | 10275602 | EPA 300.1 | IC |
| 2459 | 10053200 | EPA 300.0 | IC |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 22 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 2460 | 20076806 | SM 4110 B | IC |
| 2460 | 20076828 | SM 4110 B | IC |
| 2460 | 20076840 | SM 4110 B | IC |
| 2460 | 20076908 | SM 4110 B-2000 | IC |
| 2460 | 20076919 | SM 4110 B-2011 | IC |
| 2461 | 30019128 | ASTM D4327-03 | IC |
| 2461 | 30031006 | ASTM D4327-97 | IC |
| 2462 | 20088884 | SM 4500-CIO2 E | AMP |
| 2462 | 20088895 | SM 4500-CIO2 E | AMP |
| 2462 | 20090806 | SM 4500-CIO2 E | AMP |
| 2462 | 20091014 | SM 4500-CIO2 E-2000 | AMP |
| 2464 | 60006204 | Palintest 1001 | ASV |
| 2469 | 60003716 | HACH 8048 | COLOR |
| 2469 | 60003738 | HACH 8048 | COLOR |
| 2469 | 60003749 | HACH 8048 | COLOR |
| 2473 | 20059807 | SM 3114 B | HGAAS |
| 2473 | 20059829 | SM 3114 B | HGAAS |
| 2473 | 20059841 | SM 3114 B | HGAAS |
| 2473 | 20060199 | SM 3114 B-2009 | HGAAS |
| 2473 | 20060213 | SM 3114 B-1997 | HGAAS |
| 2473 | 20060224 | SM 3114 B-2011 | HGAAS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 23 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 2473 | 20060235 | SM 3114 C | HGAAS |
| 2473 | 20060268 | SM 3114 C-2011 | HGAAS |
| 2480 | 40010400 | USGS I-3720-85 | FAAS |
| 2484 | 60007161 | LACHAT 10-204-00-1-) | AUTO |
| 2484 | 60030800 | LACHAT 10-204-00-1-) | AUTO |
| 2486 | 50003195 | AOAC 973.52B | TITR |
| 2490 | 30018929 | ASTM D4190-08 | DCP-AES |
| 2491 | 40013807 | USGS I-3270-85 | FAAS |
| 2493 | 30025253 | ASTM D4294-16 | XRF |
| 2494 | 40017401 | USGS I-4138-89 | FAAS |
| 2552 | 30012545 | ASTM D2972-03C | GFAAS |
| 2552 | 30012578 | ASTM D2972-08C | GFAAS |
| 2552 | 30026007 | ASTM D2972-97C | GFAAS |
| 2553 | 30014041 | ASTM D3557-12D | GFAAS |
| 2554 | 30019386 | ASTM D4382-12 | GFAAS |
| 2555 | 30016967 | ASTM D3645-08B | GFAAS |
| 2556 | 60001652 | AES 0029 | DCP-AES |
| 2557 | 20136612 | SM 5220 D | COLOR |
| 2557 | 20136816 | SM 5220 D-2011 | COLOR |
| 2558 | 30006189 | ASTM D1252-06B | COLOR |
| 2559 | 30008334 | ASTM D1687-12A | COLOR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 24 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 2560 | 30008367 | ASTM D1687-12C | GFAAS |
| 2561 | 30014712 | ASTM D3558-08A | FAAS |
| 2562 | 30014734 | ASTM D3558-08B | FAAS |
| 2564 | 20045801 | SM 2340 B | CALC |
| 2564 | 20046008 | SM 2340 B | CALC |
| 2564 | 20046202 | SM 2340 B | CALC |
| 2564 | 20046406 | SM 2340 B | CALC |
| 2564 | 20046417 | SM 2340 B | CALC |
| 2564 | 20046439 | SM 2340 B | CALC |
| 2564 | 20046600 | SM 2340 B-1997 | CALC |
| 2564 | 20046611 | SM 2340 B-2011 | CALC |
| 2565 | 30014756 | ASTM D3558-08C | GFAAS |
| 2567 | 30004161 | ASTM D1068-10C | GFAAS |
| 2569 | 30015351 | ASTM D3559-08D | GFAAS |
| 2570 | 30002416 | ASTM D858-12A | FAAS |
| 2571 | 30002427 | ASTM D858-12B | FAAS |
| 2572 | 30002438 | ASTM D858-12C | GFAAS |
| 2575 | 30025388 | ASTM D1886-08C | GFAAS |
| 2576 | 60002575 | ANSI PH4.37-1975, P. | COLOR |
| 2577 | 20137604 | SM 5310 B | IR |
| 2577 | 20137615 | SM 5310 B | IR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 25 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|--|----------------------|
| 2577 | 20137637 | SM 5310 B | IR |
| 2577 | 20137819 | SM 5310 B-2000 | IR |
| 2577 | 20137820 | SM 5310 B-2011 | IR |
| 2578 | 20138607 | SM 5310 C | IR |
| 2578 | 20138618 | SM 5310 C | IR |
| 2578 | 20138630 | SM 5310 C | IR |
| 2578 | 20138812 | SM 5310 C-2000 | IR |
| 2578 | 20138823 | SM 5310 C-2011 | IR |
| 2579 | 20139600 | SM 5310 D | IR |
| 2579 | 20139611 | SM 5310 D | IR |
| 2579 | 20139815 | SM 5310 D-2000 | IR |
| 2579 | 20139826 | SM 5310 D-2011 | IR |
| 2584 | 30015339 | ASTM D3559-03D | GFAAS |
| 2584 | 30015351 | ASTM D3559-08D | GFAAS |
| 2584 | 30015362 | ASTM D3559-15D | GFAAS |
| 2584 | 30016003 | ASTM D3559-90D | GFAAS |
| 2584 | 30028605 | ASTM D3559-96D | GFAAS |
| 2587 | 20131606 | SM 4500-SO ₄ ⁻ D | GRAV |
| 2587 | 20132007 | SM 4500-SO ₄ ⁻ D | GRAV |
| 2587 | 20132018 | SM 4500-SO ₄ ⁻ D | GRAV |
| 2587 | 20132029 | SM 4500-SO ₄ ⁻ D | GRAV |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 26 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|---------------------------------|----------------------|
| 2587 | 20132201 | SM 4500-SO4 ⁻ D-1997 | GRAV |
| 2587 | 20132212 | SM 4500-SO4 ⁻ D-2011 | GRAV |
| 2589 | 30019604 | ASTM D4657-92 (98) | HPLC-UV |
| 2651 | 10028009 | EPA 218.6 | IC |
| 2653 | 30012250 | ASTM D2622-16 | XRF |
| 3090 | 40019678 | USGS O-2002-01 | GC-MS |
| 3091 | 40020222 | USGS O-3105-83 | GC-ECD |
| 3095 | 40019645 | USGS O-3104-83 | GC-PID |
| 3097 | 40020175 | USGS O-4436-16 | GC-PID |
| 3099 | 40019667 | USGS O-3116-87, P.27 | GC-MS |
| 3100 | 40005150 | USGS I-2057-90 | IC |
| 3101 | 40005252 | USGS I-2522-90 | COLOR |
| 3102 | 40016602 | USGS I-3233-93 | GFAAS |
| 3103 | 40017207 | USGS I-4063-98 | GFAAS |
| 3104 | 40018324 | USGS I-4464-01 | CVAFS |
| 3105 | 40019407 | USGS I-4668-98 | GFAAS |
| 3106 | 40020153 | USGS O-4127-96 | GC-MS |
| 3107 | 40019667 | USGS O-3116-87, P.27 | GC-MS |
| 3109 | 40019689 | USGS O-2060-01 | HPLC-TSMS |
| 3110 | 40019634 | USGS O-1126-95 | GC-MS |
| 3112 | 40018404 | USGS I-4471-97 | ICP-AES |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 27 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 3113 | 40018006 | USGS I-4302-85 | COLOR |
| 3122 | 20143720 | SM 5530 D | COLOR |
| 3122 | 20143775 | SM 5530 D-2010 | COLOR |
| 3124 | 30025300 | ASTM D1783-01A | COLOR |
| 3124 | 30025322 | ASTM D1783-01B | COLOR |
| 3125 | 20061409 | SM 3125 B | ICP-MS |
| 3125 | 20061603 | SM 3125 B | ICP-MS |
| 3125 | 20061863 | SM 3125 B-2011 | ICP-MS |
| 3126 | 30032350 | ASTM D6239-09 | SCIN CNT |
| 3127 | 40018404 | USGS I-4471-97 | ICP-MS |
| 3140 | 10277006 | EPA 314.0 | IC-COND |
| 3170 | 10237602 | EPA 317.0 | IC-UV |
| 3171 | 40005285 | USGS I-2547-11 | AUTO |
| 3172 | 40005150 | USGS I-2057-90 | IC |
| 3310 | 10059708 | EPA 331.0 | HPLC-ESMS |
| 3373 | 30013593 | ASTM D3373-03(07) | FAAS |
| 3373 | 30013606 | ASTM D3373-93 | FAAS |
| 3373 | 30013628 | ASTM D3373-17 | FAAS |
| 3492 | 40017003 | USGS I-3492-96 | GFAAS |
| 3551 | 10000609 | EPA 00-01 | PROP CNT |
| 3552 | 10210603 | EMSL-LV p. 1 | PROP CNT |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 28 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 3553 | 20156803 | SM 7110 B (GPC) | PROP CNT |
| 3553 | 20156814 | SM 7110 B (GPC) | PROP CNT |
| 3553 | 20156836 | SM 7110 B (GPC) | PROP CNT |
| 3553 | 20157055 | SM 7110 B-2000 (GPC) | PROP CNT |
| 3554 | 20000402 | SM 302 | PROP CNT |
| 3555 | 40021009 | USGS R-1120-76 | PROP CNT |
| 3556 | 10234409 | EPA 00-02 (GPC) | PROP CNT |
| 3557 | 10249806 | EPA 00-02 | PROP CNT |
| 3997 | 10117154 | EPA 1020C | FLPT |
| 3998 | 10234830 | EPA 1010B | FLPT |
| 3999 | 10234807 | EPA 1010A | FLPT |
| 3999 | 10234818 | EPA 1010A | FLPT |
| 4001 | 10117109 | EPA 1020B | 99 |
| 4011 | 10195809 | EPA 9031 | TITR |
| 4014 | 10193803 | EPA 9014 | COLOR |
| 4014 | 10193836 | EPA 9014 | COLOR |
| 4021 | 10158802 | EPA 7060A | GFAAS |
| 4022 | 10159203 | EPA 7061A | HGAAS |
| 4028 | 10162002 | EPA 7195 | FAAS |
| 4029 | 10162604 | EPA 7197 | FAAS |
| 4034 | 10169003 | EPA 7741A | HGAAS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 29 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 4035 | 10170204 | EPA 7780 | FAAS |
| 4038 | 10165807 | EPA 7470A | CVAAS |
| 4040 | 10166457 | EPA 7471B | CVAAS |
| 4041 | 40012100 | USGS I-4020-05 | IC-MS |
| 4042 | | | COLOR |
| 4047 | 10179803 | EPA 8091 | GC-NPD |
| 4049 | 10178811 | EPA 8081B | GC-ECD |
| 4060 | 10187607 | EPA 8310 | HPLC-FLUOR |
| 4064 | 10000304 | 40 CFR Part 50 Appen | GRAV |
| 4067 | 10162808 | EPA 7198 | DPP |
| 4068 | 10162400 | EPA 7196A | COLOR |
| 4074 | 10307127 | EPA 8260D | GC-MS |
| 4078 | 10155905 | EPA 6010C | ICP-AES |
| 4079 | 10000405 | 40 CFR Part 50 Appen | ICP-MS |
| 4080 | 10155916 | EPA 6010D | ICP-AES |
| 4080 | 10155950 | EPA 6010D | ICP-AES |
| 4081 | 10156419 | EPA 6020A | ICP-MS |
| 4083 | 10159407 | EPA 7062 | HGAAS |
| 4085 | 10169207 | EPA 7742 | HGAAS |
| 4088 | 10156420 | EPA 6020B | ICP-MS |
| 4089 | 10307003 | EPA 8260C | GC-MS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 30 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 4093 | 10188202 | EPA 8316 | HPLC-UV |
| 4095 | 10174808 | EPA 8021B | GCELCD/PID |
| 4095 | 10174819 | EPA 8021B | GCELCD/PID |
| 4096 | 10177409 | EPA 8061A | GC-ECD |
| 4097 | 10181201 | EPA 8121 | GC-ECD |
| 4098 | 10182204 | EPA 8141B | GC-NPD |
| 4100 | 10183207 | EPA 8151A | GC-ECD |
| 4101 | 10307105 | EPA 8260C SIM | GC-MS |
| 4102 | 10307138 | EPA 8260D SIM | GC-MS |
| 4204 | 10080203 | EPA 420.4 | AUTO |
| 4308 | 10179358 | EPA 8082A | GC-ECD |
| 4312 | 10159601 | EPA 7063 | ASV |
| 4313 | 10163005 | EPA 7199 | IC |
| 4314 | 10166606 | EPA 7472 | ASV |
| 4316 | 10196006 | EPA 9034 | TITR |
| 4340 | 10002207 | EPA 0023A | GC-HRMS |
| 4370 | 10401306 | EPA 102 | CVAAS |
| 4371 | 10401931 | EPA Method 105 | CVAAS |
| 4381 | 10405308 | EPA Method 6A | GRAV |
| 4382 | 10405400 | EPA Method 6B | GRAV |
| 4383 | 10403608 | EPA Method 29 (ICP) | ICP-AES |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 31 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 4384 | 10403700 | EPA Method 29 (ICP-M | ICP-MS |
| 4385 | 10403404 | EPA Method 29 (FAA) | FAAS |
| 4386 | 10403506 | EPA Method 29 (GFAA | GFAAS |
| 4387 | 10403302 | EPA Method 29 (CVAA | CVAAS |
| 4389 | 10402150 | EPA Method 14A | 99 |
| 4390 | 10403108 | EPA Method 26 | IC |
| 4392 | 10405706 | EPA Method 7B | COLOR |
| 4393 | 10405808 | EPA Method 7C | COLOR |
| 4394 | 10405900 | EPA Method 7D | IC |
| 4397 | 90012854 | NIOSH 5510 | GC-ECD |
| 4405 | 90012105 | NIOSH 1501 | GC-FID |
| 4406 | 90012809 | NIOSH 5503 | GC-ECD |
| 4503 | 90012207 | NIOSH 6009 | CVAAS |
| 4505 | 90012401 | NIOSH 7300 | ICP-AES |
| 4510 | 10401500 | EPA Method 104 (FAA) | FAAS |
| 4511 | 10402105 | EPA Method 13B | COLOR |
| 4513 | 10401000 | EPA Method 101 | CVAAS |
| 4514 | 10405502 | EPA Method 7 | COLOR |
| 4515 | 10405604 | EPA Method 7A | IC |
| 4516 | 10404305 | EPA Method 5 | GRAV |
| 4517 | 10405206 | EPA Method 6 | TITR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 32 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 4527 | 30024590 | ASTM D2015-77 | 99 |
| 4528 | 10401204 | EPA 101A | CVAAS |
| 4530 | 30008550 | ASTM D1552-16e1 | TITR |
| 4531 | 10246636 | EPA Method 18 | GC-ELCD |
| 4532 | 10401964 | EPA Method 106 | GC-ELCD |
| 4559 | 10403904 | EPA Method 306 (ICP) | ICP-MS |
| 4569 | 10274472 | EPA Method 306 | FAAS |
| 4570 | 10403802 | EPA Method 306 (GFA) | GFAAS |
| 4570 | 10404009 | EPA Method 306A (GF) | GFAAS |
| 4571 | 90014941 | CARB 425 | FAAS |
| 4573 | 10403904 | EPA Method 306 (ICP) | ICP-AES |
| 4573 | 10404101 | EPA Method 306A (ICF) | ICP-AES |
| 4591 | 10402003 | EPA Method 13A | POT |
| 4593 | 90012434 | NIOSH 7303 | ICP-AES |
| 4701 | 10405911 | EPA Method 7E | COLOR |
| 5002 | 30013208 | ASTM D3086-90 | GC-ECD |
| 5003 | 10241200 | EPA/600/4-81/054 p. 7 | GC-ECD |
| 5004 | 40014800 | USGS Book 5 Chapter | GC-ECD |
| 5005 | 10300024 | EPA 625.1 | GC-MS |
| 5008 | 10241608 | EPA/600/4-81/054 p. 9 | GC-ECD |
| 5010 | 10240809 | EPA/600/4-81/054 p. 2 | GC-NPD |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 33 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 5012 | 10105201 | EPA 614 | GC-ECD |
| 5016 | 10240401 | EPA/600/4-81/054 p. 1 | GC-ECD |
| 5017 | 40015007 | USGS Book 5 Chapter | GC-ECD |
| 5018 | 10095804 | EPA 552.2 | GC-ECD |
| 5019 | 20149002 | SM 6251 B | GC-ECD |
| 5019 | 20149013 | SM 6251 B | GC-ECD |
| 5019 | 20149035 | SM 6251 B | GC-ECD |
| 5019 | 20149206 | SM 6251 B-1994 | GC-ECD |
| 5019 | 20149217 | SM 6251 B-2007 | GC-ECD |
| 5020 | 10095406 | EPA 552.1 | GC-ECD |
| 5021 | 10242203 | EPA 610 (GC) | GC-FID |
| 5023 | 10258409 | EPA 1624C | GC-MS |
| 5025 | 10286007 | EPA 508A | GC-ECD |
| 5026 | 10094801 | EPA 551.1 | GC-ECD |
| 5029 | 10297004 | EPA 610 (HPLC) | HPLC-UV |
| 5030 | 10237000 | EPA 1625B | GC-MS |
| 5031 | 10240605 | EPA/600/4-81/054 p. 1 | GC-ECD |
| 5033 | 10103205 | EPA 606 | GC-ECD |
| 5034 | 10104606 | EPA 611 | GC-ECD |
| 5035 | 10102008 | EPA 601 | GC-ELCD |
| 5036 | 10107207 | EPA 624 | GC-MS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 34 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|----------------|-----------------|-----------------------|---------------|
| 5036 | 10298121 | EPA 624.1 | GC-MS |
| 5037 | 10121401 | EPA 1624B | GC-MS |
| 5038 | 10259208 | EPA 1625C | GC-MS |
| 5039 | 10102406 | EPA 603 | GC-FID |
| 5040 | 10102202 | EPA 602 | GC-PID |
| 5041 | 10103001 | EPA 605 | HPLC-EC |
| 5042 | 10102600 | EPA 604 | GC-FID |
| 5043 | 10104800 | EPA 612 | GC-ECD |
| 5044 | 10104208 | EPA 609 | GC-ECD |
| 5045 | 10240003 | EPA/600/4-81/054 p. 1 | GC-ECD |
| 5046 | 10103409 | EPA 607 | GC-NPD |
| 5047 | 10296614 | EPA 608.3 GC-ECD | GC-ECD |
| 5047 | 10296625 | EPA 608.B12473 GC-EI | GC-ECD |
| 5048 | 10241006 | EPA/600/4-81/054 p. 4 | GC-ECD |
| 5049 | | | GC-ELCD |
| 5050 | 10240650 | EPA/600/4-81/054 p. 1 | GC-ECD |
| 5051 | 10105007 | EPA 613 | GC-MS |
| 5058 | 10186002 | EPA 8270D | GC-MS |
| 5058 | 10186035 | EPA 8270D | GC-MS |
| 5059 | 10242509 | EPA 8270D SIM | GC-MS |
| 5060 | 10312002 | EPA TO-14A | GC-MS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 35 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 5061 | | | GC-ELCD |
| 5062 | 10248803 | EPA TO-15 | GC-MS |
| 5063 | 10312400 | EPA TO-3 | GC-ELCD |
| 5064 | 10242543 | EPA 8270E | GC-MS |
| 5065 | 10242565 | EPA 8270E SIM | GC-MS |
| 5082 | 20146810 | SM 6200 B | GC-MS |
| 5082 | 20147017 | SM 6200 B-2011 | GC-MS |
| 5101 | 10082209 | EPA 502.2 | GCELCD/PID |
| 5101 | 10082403 | EPA 502.2 | GCELCD/PID |
| 5103 | 10082801 | EPA 504.1 | GC-ECD |
| 5105 | 10088809 | EPA 524.2 | GC-MS |
| 5107 | 20147200 | SM 6200 C | GC-ELCD |
| 5107 | 20147404 | SM 6200 C | GC-ELCD |
| 5107 | 20147415 | SM 6200 C | GC-ELCD |
| 5107 | 20147608 | SM 6200 C-1997 | GC-ELCD |
| 5107 | 20147614 | SM 6200 C-2011 | GC-ELCD |
| 5116 | 20066266 | SM 3500-Cr B-2011 | COLOR |
| 5120 | 20039003 | SM 2120 B | COLOR |
| 5120 | 20039014 | SM 2120 B | COLOR |
| 5120 | 20039036 | SM 2120 B | COLOR |
| 5120 | 20039309 | SM 2120 B-2001 | COLOR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 36 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 5120 | 20039310 | SM 2120 B-2011 | COLOR |
| 5125 | 10105609 | EPA 615 | GC-ECD |
| 5200 | 20149808 | SM 6410 B | GC-MS |
| 5200 | 20149819 | SM 6410 B | GC-MS |
| 5200 | 20150054 | SM 6410 B-2000 | GC-MS |
| 5201 | 20153462 | SM 6630 B-2007 | GC-ECD |
| 5202 | 20153804 | SM 6630 C | GC-ECD |
| 5203 | 20154807 | SM 6640 B | GC-ECD |
| 5203 | 20154818 | SM 6640 B | GC-ECD |
| 5203 | 20154830 | SM 6640 B | GC-ECD |
| 5203 | 20155015 | SM 6640 B-2001 | GC-ECD |
| 5203 | 20155026 | SM 6640 B-2006 | GC-ECD |
| 5220 | 20135319 | SM 5220 B | TITR |
| 5220 | 20135391 | SM 5220 B-2011 | TITR |
| 5243 | 10089302 | EPA 524.3 | GC-MS |
| 5244 | 10089335 | EPA 524.4 | GC-MS |
| 5300 | 20151660 | SM 6440 B-2005 | HPLC-UV |
| 5301 | 10240605 | EPA/600/4-81/054 p. 1 | GC-ELCD |
| 5305 | 20150601 | SM 6420 B | GC-FID |
| 5305 | 20150612 | SM 6420 B | GC-FID |
| 5305 | 20150850 | SM 6420 B-2000 | GC-FID |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 37 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 5312 | 10091302 | EPA 531.2 | HPLC-FLUOR |
| 5530 | 10096205 | EPA 553 | HPLC-PBMS |
| 5551 | 10094403 | EPA 551 | GC-ECD |
| 5673 | 30032236 | ASTM D5673-05 | ICP-MS |
| 5673 | 30032247 | ASTM D5673-10 | ICP-MS |
| 5673 | 30032292 | ASTM D5673-16 | ICP-MS |
| 5865 | 30020827 | ASTM D5865-07 | 99 |
| 5910 | 20146207 | SM 5910 B | COLOR |
| 5910 | 20146218 | SM 5910 B | COLOR |
| 5910 | 20146230 | SM 5910 B | COLOR |
| 5910 | 20146401 | SM 5910 B-2000 | COLOR |
| 5910 | 20146412 | SM 5910 B-2011 | COLOR |
| 5911 | 30032907 | ASTM D6919-03 | IC |
| 5911 | 30032952 | ASTM D6919-09 | IC |
| 5913 | 60005030 | HACH 10206 | COLOR |
| 5913 | 60005063 | HACH 10206 | COLOR |
| 5913 | 60005222 | HACH 10206 | COLOR |
| 5914 | 60005621 | HACH 10225 | COLOR |
| 6046 | 10405411 | EPA Method 6C | COLOR |
| 6081 | 10103807 | EPA 608.1 | GC-ECD |
| 6082 | 10104004 | EPA 608.2 | GC-ECD |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 38 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 6170 | 10106000 | EPA 617 | GC-ECD |
| 6250 | 60032806 | Syngenta AG-625 | COLOR |
| 6270 | 10107605 | EPA 627 | GC-ECD |
| 6290 | 10107809 | EPA 629 | HPLC-UV |
| 6320 | 10108608 | EPA 632 | HPLC-UV |
| 6331 | 10109203 | EPA 633.1 | GC-NPD |
| 6508 | 30032503 | ASTM D6508-00 (05) | CIE-UV |
| 6508 | 30032510 | ASTM D6508-10 | CIE-UV |
| 6508 | 60009656 | Waters D6508 | CIE-UV |
| 6581 | 30032601 | ASTM D6581-00(05) | IC-COND |
| 6581 | 30032623 | ASTM D6581-08A | IC-COND |
| 6582 | 30002632 | ASTM D6581-08B | IC-COND |
| 6860 | 10304800 | EPA 6860 | IC-ESI-MS |
| 6888 | 30033126 | ASTM D6888-04 | AMP |
| 6888 | 30033148 | ASTM D6888-09 | AMP |
| 6919 | 30032952 | ASTM D6919-09 | IC |
| 7000 | 10157707 | EPA 7000B | FAAS |
| 7010 | 10157810 | EPA 7010 | GFAAS |
| 7014 | 10289404 | EPA/600/4-75-008 p. 1 | PROP CNT |
| 7016 | 10290401 | EPA/600/4-75-008 p. 4 | PROP CNT |
| 7022 | 10289608 | EPA/600/4-75-008 p. 1 | SCIN CNT |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 39 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 7026 | 10290003 | EPA/600/4-75-008 p. 2 | PROP CNT |
| 7028 | 10290207 | EPA/600/4-75-008 p. 3 | SCIN CNT |
| 7033 | 10249748 | EPA/402/R-92/004 | SCIN CNT |
| 7034 | 10249748 | EPA/402/R-92/004 | VOLT |
| 7035 | 10249748 | EPA/402/R-92/004 | 99 |
| 7036 | 10249748 | EPA/402/R-92/004 | PROP CNT |
| 7039 | 10310404 | EPA 908.0 | 99 |
| 7040 | 10309805 | EPA 904.0 | PROP CNT |
| 7300 | 10004203 | EPA 100.1 | TEM |
| 7301 | 10004407 | EPA 100.2 | TEM |
| 7473 | 10166800 | EPA 7473 | CVAAS |
| 7474 | 10167007 | EPA 7474 | CVAFS |
| 8002 | 20135813 | SM 5220 C | TITR |
| 8002 | 20136010 | SM 5220 C-2011 | TITR |
| 8033 | 10176008 | EPA 8033 | GC-NPD |
| 8070 | 10177807 | EPA 8070A | GC-NPD |
| 8111 | 10180606 | EPA 8111 | GC-ECD |
| 8111 | 10180628 | EPA 8111 | GC-ECD |
| 8131 | 10181405 | EPA 8131 | GC-NPD |
| 8275 | 10186400 | EPA 8275A | GC-MS |
| 8316 | 10188008 | EPA 8315A | HPLC-UV |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 40 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 8318 | 10188600 | EPA 8318A | HPLC-FLUOR |
| 8322 | 10189205 | EPA 8321B | HPLC-TSMS |
| 8325 | 10189603 | EPA 8325A | HPLC-PBMS |
| 8331 | 10190008 | EPA 8330A | HPLC-UV |
| 8332 | 10308006 | EPA 8330B | HPLC-UV |
| 8333 | 90014394 | NJ ECLS-R-GA | PROP CNT |
| 8410 | 10190600 | EPA 8410 | GC-FTIR |
| 8410 | 10190633 | EPA 8410 | GC-FTIR |
| 8421 | 30035280 | ASTM D8421-21 | LC-MS/MS |
| 8430 | 10190804 | EPA 8430 | GC-FTIR |
| 8430 | 10190837 | EPA 8430 | GC-FTIR |
| 8440 | 10191001 | EPA 8440 | IR |
| 8999 | 20120245 | SM 4500-Norg D | AUTO |
| 8999 | 20120289 | SM 4500-Norg D-2011 | AUTO |
| 9000 | 20044411 | SM 2310 B | TITR |
| 9000 | 20044615 | SM 2310 B-2011 | TITR |
| 9001 | 20045403 | SM 2320 B | TITR |
| 9001 | 20045414 | SM 2320 B | TITR |
| 9001 | 20045436 | SM 2320 B | TITR |
| 9001 | 20045607 | SM 2320 B-1997 | TITR |
| 9001 | 20045618 | SM 2320 B-2011 | TITR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 41 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 9002 | 20055203 | SM 3111 B | FAAS |
| 9002 | 20055214 | SM 3111 B | FAAS |
| 9002 | 20055236 | SM 3111 B | FAAS |
| 9002 | 20055418 | SM 3111 B-1999 | FAAS |
| 9002 | 20055429 | SM 3111 B-2011 | FAAS |
| 9003 | 20058406 | SM 3113 B | GFAAS |
| 9003 | 20058804 | SM 3113 B | GFAAS |
| 9003 | 20058815 | SM 3113 B | GFAAS |
| 9003 | 20058826 | SM 3113 B | GFAAS |
| 9003 | 20058837 | SM 3113 B-2004 | GFAAS |
| 9003 | 20058859 | SM 3113 B-2010 | GFAAS |
| 9003 | 20059001 | SM 3113 B-1993 | GFAAS |
| 9006 | 20023603 | SM 4500-NH3 C | COLOR |
| 9007 | 20109415 | SM 4500-NH3 D-2011 | POT |
| 9007 | 20113013 | SM 4500-NH3 E-2011 | POT |
| 9008 | 20023567 | SM 4500-NH3 F-2011 | COLOR |
| 9008 | 20025367 | SM 4500-NH3 F-2011 | COLOR |
| 9010 | 30008276 | ASTM D1688-07C | GFAAS |
| 9010 | 30008323 | ASTM D1688-12C | GFAAS |
| 9013 | 20135277 | SM 5210B-2011 plus H | TITR |
| 9014 | 20135039 | SM 5210 B-2016 | TITR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 42 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|--------------------------------|----------------------|
| 9015 | 20077207 | SM 4500-B B | COLOR |
| 9015 | 20077401 | SM 4500-B B | COLOR |
| 9015 | 20077605 | SM 4500-B B | COLOR |
| 9015 | 20077809 | SM 4500-B B | COLOR |
| 9015 | 20077810 | SM 4500-B B | COLOR |
| 9015 | 20078119 | SM 4500-B B-2011 | COLOR |
| 9016 | 20055816 | SM 3111 C | FAAS |
| 9016 | 20056319 | SM 3111 C-2011 | FAAS |
| 9017 | 20065401 | SM 3500-Cd D | COLOR |
| 9017 | 20065605 | SM 3500-Cd D | COLOR |
| 9017 | 20065650 | SM 3500-Cd D-1990 | COLOR |
| 9022 | 20085001 | SM 4500-Cl ⁻ C | TITR |
| 9022 | 20085012 | SM 4500-Cl ⁻ C | TITR |
| 9022 | 20085205 | SM 4500-Cl ⁻ C-1997 | TITR |
| 9022 | 20085216 | SM 4500-Cl ⁻ C-2011 | TITR |
| 9023 | 20086606 | SM 4500-Cl ⁻ E | COLOR |
| 9023 | 20086617 | SM 4500-Cl ⁻ E | COLOR |
| 9023 | 20086800 | SM 4500-Cl ⁻ E-1997 | COLOR |
| 9023 | 20086811 | SM 4500-Cl ⁻ E-2011 | COLOR |
| 9025 | 10194408 | EPA 9020B | COUL |
| 9027 | 10242009 | EPA/600/8-78/017 p. 1 | MF |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 43 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|--|----------------------|
| 9028 | 50004609 | AOAC 991.15 Colilert | MTF |
| 9030 | 40003007 | USGS I-1472-85 | ICP-AES |
| 9032 | 40009607 | USGS I-3561-85 | COLOR |
| 9036 | 20095812 | SM 4500-CN ⁻ D | TITR |
| 9036 | 20096064 | SM 4500-CN ⁻ D-2011 | TITR |
| 9037 | 20092404 | SM 4500-CN ⁻ E | COLOR |
| 9037 | 20096202 | SM 4500-CN ⁻ E | COLOR |
| 9037 | 20096213 | SM 4500-CN ⁻ E | COLOR |
| 9037 | 20096224 | SM 4500-CN ⁻ E | COLOR |
| 9037 | 20096417 | SM 4500-CN ⁻ E-1999 | COLOR |
| 9037 | 20096428 | SM 4500-CN ⁻ E-2011 | COLOR |
| 9041 | 20104205 | SM 4500-F ⁻ E | COLOR |
| 9041 | 20104216 | SM 4500-F ⁻ E | COLOR |
| 9041 | 20104238 | SM 4500-F ⁻ E | COLOR |
| 9041 | 20104409 | SM 4500-F ⁻ E-1997 | COLOR |
| 9041 | 20104410 | SM 4500-F ⁻ E-2011 | COLOR |
| 9050 | 20057801 | SM 3112 B | CVAAS |
| 9050 | 20057823 | SM 3112 B | CVAAS |
| 9050 | 20057845 | SM 3112 B | CVAAS |
| 9050 | 20058020 | SM 3112 B-2011 | CVAAS |
| 9052 | 20014630 | SM 4500-NO ₃ ⁻ E | COLOR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 44 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|----------------|-----------------|---|---------------|
| 9052 | 20114607 | SM 4500-NO ₃ ⁻ E | COLOR |
| 9052 | 20114618 | SM 4500-NO ₃ ⁻ E | COLOR |
| 9052 | 20115406 | SM 4500-NO ₃ ⁻ E minu | COLOR |
| 9052 | 20115417 | SM 4500-NO ₃ ⁻ E-2011 | COLOR |
| 9052 | 20115815 | SM 4500-NO ₃ ⁻ E-2000 | COLOR |
| 9052 | 20115826 | SM 4500-NO ₃ ⁻ E-2011 | COLOR |
| 9053 | 20116409 | SM 4500-NO ₃ ⁻ F | AUTO |
| 9053 | 20116410 | SM 4500-NO ₃ ⁻ F | AUTO |
| 9053 | 20116421 | SM 4500-NO ₃ ⁻ F | AUTO |
| 9053 | 20117208 | SM 4500-NO ₃ ⁻ F minu | AUTO |
| 9053 | 20117617 | SM 4500-NO ₃ ⁻ F-2000 | AUTO |
| 9053 | 20117628 | SM 4500-NO ₃ ⁻ F-2011 | AUTO |
| 9053 | 20117684 | SM 4500-NO ₃ ⁻ F-2016 | AUTO |
| 9055 | 20141417 | SM 5520 B | GRAV |
| 9055 | 20141666 | SM 5520 B-2011 | GRAV |
| 9057 | 20124407 | SM 4500-P F | AUTO |
| 9057 | 20124805 | SM 4500-P F | AUTO |
| 9057 | 20124816 | SM 4500-P F | AUTO |
| 9057 | 20124838 | SM 4500-P F | AUTO |
| 9057 | 20125013 | SM 4500-P F-1999 | AUTO |
| 9061 | 20124225 | SM 4500-P E-2011 | COLOR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 45 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 9063 | 20049438 | SM 2540 B-2015 | GRAV |
| 9064 | 20050208 | SM 2540 C | GRAV |
| 9064 | 20050402 | SM 2540 C-1997 | GRAV |
| 9064 | 20050413 | SM 2540 C-2011 | GRAV |
| 9064 | 20050424 | SM 2540 C | GRAV |
| 9064 | 20050435 | SM 2540 C-2015 | GRAV |
| 9065 | 20051223 | SM 2540 D-2015 | GRAV |
| 9068 | 20026602 | SM 4500-Si D | COLOR |
| 9068 | 20127202 | SM 4500-Si D | COLOR |
| 9069 | 20128409 | SM 4500-SiO2 C | COLOR |
| 9069 | 20128410 | SM 4500-SiO2 C | COLOR |
| 9069 | 20128432 | SM 4500-SiO2 C | COLOR |
| 9069 | 20128603 | SM 4500-SiO2 C-1997 | COLOR |
| 9069 | 20128614 | SM 4500-SiO2 C-2011 | COLOR |
| 9071 | 20048402 | SM 2510 B | COND |
| 9071 | 20048413 | SM 2510 B | COND |
| 9071 | 20048435 | SM 2510 B | COND |
| 9071 | 20048606 | SM 2510 B-1997 | COND |
| 9071 | 20048617 | SM 2510 B-2011 | COND |
| 9073 | 20056808 | SM 3111 D | FAAS |
| 9073 | 20056819 | SM 3111 D | FAAS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 46 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|--------------------------------|----------------------|
| 9073 | 20056831 | SM 3111 D | FAAS |
| 9073 | 20057107 | SM 3111 D-1999 | FAAS |
| 9073 | 20057118 | SM 3111 D-2011 | FAAS |
| 9075 | 20125615 | SM 4500-S2 ⁻ D | COLOR |
| 9075 | 20125864 | SM 4500-S2 ⁻ D-2011 | COLOR |
| 9077 | 20144803 | SM 5540 C | COLOR |
| 9077 | 20144814 | SM 5540 C | COLOR |
| 9077 | 20144836 | SM 5540 C | COLOR |
| 9077 | 20145055 | SM 5540 C-2000 | COLOR |
| 9077 | 20145066 | SM 5540 C-2011 | COLOR |
| 9081 | 10084807 | EPA 507 | GC-NPD |
| 9082 | 10083406 | EPA 505 | GC-ECD |
| 9082 | 10083600 | EPA 505 | GC-ECD |
| 9083 | 10091006 | EPA 531.1 | HPLC-FLUOR |
| 9083 | 10091200 | EPA 531.1 | HPLC-FLUOR |
| 9084 | 10085208 | EPA 508 | GC-ECD |
| 9084 | 10085402 | EPA 508 | GC-ECD |
| 9085 | 10086405 | EPA 508.1 | GC-ECD |
| 9086 | 10087408 | EPA 515.1 | GC-ECD |
| 9088 | 10092805 | EPA 548.1 | GC-MS |
| 9089 | 10092009 | EPA 547 | HPLC-UV |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 47 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|--------------------------------|----------------------|
| 9090 | 10084001 | EPA 506 | GC-PID |
| 9091 | 20085578 | SM 4500-Cl ⁻ D | AMP |
| 9091 | 20085603 | SM 4500-Cl ⁻ D | AMP |
| 9091 | 20085614 | SM 4500-Cl ⁻ D | AMP |
| 9091 | 20085807 | SM 4500-Cl ⁻ D-1997 | AMP |
| 9091 | 20085818 | SM 4500-Cl ⁻ D-2011 | AMP |
| 9092 | 10120602 | EPA 1613B | GC-HRMS |
| 9093 | 10093808 | EPA 550 | HPLC-UV |
| 9095 | 10090003 | EPA 525.2 | GC-MS |
| 9097 | 20102209 | SM 4500-F ⁻ C | POT |
| 9097 | 20102210 | SM 4500-F ⁻ C | POT |
| 9097 | 20102232 | SM 4500-F ⁻ C | POT |
| 9097 | 20102403 | SM 4500-F ⁻ C-1997 | POT |
| 9097 | 20102414 | SM 4500-F ⁻ C-2011 | POT |
| 9099 | 20103202 | SM 4500-F ⁻ D | COLOR |
| 9099 | 20103213 | SM 4500-F ⁻ D | COLOR |
| 9099 | 20103235 | SM 4500-F ⁻ D | COLOR |
| 9099 | 20103406 | SM 4500-F ⁻ D-1997 | COLOR |
| 9099 | 20103417 | SM 4500-F ⁻ D-2011 | COLOR |
| 9102 | 10015404 | EPA 200.9 | GFAAS |
| 9103 | 10014605 | EPA 200.8 | ICP-MS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 48 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|--------------------------------|----------------------|
| 9104 | 10091675 | EPA 537 | LC-MS/MS |
| 9106 | 10091642 | EPA 537.1 | LC-MS/MS |
| 9107 | 30017766 | ASTM D3697-07 | HGAAS |
| 9107 | 30017777 | ASTM D3697-12 | HGAAS |
| 9109 | 20057219 | SM 3111 E | FAAS |
| 9109 | 20057312 | SM 3111 E-2011 | FAAS |
| 9112 | 10309601 | EPA 903.1 (SC) | SCIN CNT |
| 9113 | 40003994 | USGS I-1601-85 | COLOR |
| 9114 | 40016000 | USGS I-2601-90 | COLOR |
| 9115 | 40005401 | USGS I-2598-85 | COLOR |
| 9119 | 10061402 | EPA 335.4 | AUTO |
| 9121 | 20092802 | SM 4500-CN ⁻ F | POT |
| 9121 | 20096600 | SM 4500-CN ⁻ F | POT |
| 9121 | 20096611 | SM 4500-CN ⁻ F | POT |
| 9121 | 20096622 | SM 4500-CN ⁻ F | POT |
| 9121 | 20096826 | SM 4500-CN ⁻ F-2011 | POT |
| 9122 | 20100021 | SM 4500-CN ⁻ N-2016 | AUTO |
| 9128 | 20192205 | SM 9221 D | FB-PAF-QL |
| 9128 | 20192409 | SM 9221 D | FB-PAF-QL |
| 9128 | 20192603 | SM 9221 D | FB-PAF-QL |
| 9128 | 20192807 | SM 9221 D | FB-PAF-QL |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 49 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|-------------------------|----------------------|
| 9128 | 20192830 | SM 9221 D | FB-PAF-QL |
| 9128 | 20194814 | SM 9221 D-1999 | FB-PAF-QL |
| 9131 | 20212208 | SM 9223 B (Colilert) | CF-QL |
| 9131 | 20212402 | SM 9223 B (Colilert) | CF-QL |
| 9131 | 20212413 | SM 9223 B (Colilert) | CF-QL |
| 9131 | 20212606 | SM 9223 B (Colilert)-1' | CF-QL |
| 9131 | 20212628 | SM 9223 B (Colilert)-2' | CF-QL |
| 9131 | 20214204 | SM 9223 B (Colilert-18 | CF-QL |
| 9131 | 20214408 | SM 9223 B (Colilert-18 | CF-QL |
| 9131 | 20214419 | SM 9223 B (Colilert-18 | CF-QL |
| 9131 | 20214431 | SM 9223 B (Colilert-18 | CF-QL |
| 9131 | 20214442 | SM 9223 B (Colilert) | CF-QL |
| 9131 | 20214624 | SM 9223 B (Colilert-18 | CF-QL |
| 9131 | 60002600 | Colilert | CF-QL |
| 9131 | 60002666 | Colilert-18 | CF-QL |
| 9133 | 60002702 | E*Colite | CF-QL |
| 9134 | 20210688 | SM 9222 J | MF-QL |
| 9134 | 60031007 | m-ColiBlue24 PA | MF-QL |
| 9135 | 10242601 | EPA 900.0 (GPC) | PROP CNT |
| 9135 | 10242634 | EPA 900.0 (GPC) | PROP CNT |
| 9135 | 10308200 | EPA 900.0 | PROP CNT |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 50 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|----------------|-----------------|---|---------------|
| 9136 | 20179811 | SM 9215 B | PP-QN |
| 9137 | 10309203 | EPA 902.0 | PROP CNT |
| 9139 | 60039250 | Fast Phage | 99 |
| 9144 | 10308608 | EPA 901.1 | GAMMA CNT |
| 9145 | 20118212 | SM 4500-NO ₃ ⁻ H | AUTO |
| 9145 | 20118461 | SM 4500-NO ₃ ⁻ H-2011 | AUTO |
| 9149 | 60009601 | Waters B-1011 | IC-UV |
| 9152 | 60006102 | m-ColiBlue24 MPN | MF-QN |
| 9152 | 60031109 | m-ColiBlue24 MF | MF-QN |
| 9153 | 60044088 | NECi Nitrate-Reductase | AUTO |
| 9154 | 60044102 | NECi N07-0003 | AUTO |
| 9162 | 20112805 | SM 4500-NO ₂ ⁻ B | COLOR |
| 9162 | 20112816 | SM 4500-NO ₂ ⁻ B | COLOR |
| 9162 | 20112838 | SM 4500-NO ₂ ⁻ B | COLOR |
| 9162 | 20113104 | SM 4500-NO ₂ ⁻ B-2000 | COLOR |
| 9162 | 20113115 | SM 4500-NO ₂ ⁻ B-2011 | COLOR |
| 9166 | 20133204 | SM 4500-SO ₄ ⁻ F | COLOR |
| 9166 | 20133602 | SM 4500-SO ₄ ⁻ F | COLOR |
| 9166 | 20133613 | SM 4500-SO ₄ ⁻ F | COLOR |
| 9166 | 20133635 | SM 4500-SO ₄ ⁻ F | COLOR |
| 9166 | 20133806 | SM 4500-SO ₄ ⁻ F-1997 | COLOR |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 51 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|----------------|-----------------|---------------------------------|---------------|
| 9167 | 20210600 | SM 9222 G-1997 | MF-QN |
| 9167 | 20210611 | SM 9222 G-2006 | MF-QN |
| 9172 | 20132450 | SM 4500-SO4 ⁻ E-1997 | COLOR |
| 9172 | 20132609 | SM 4500-SO4 ⁻ E | COLOR |
| 9172 | 20132825 | SM 4500-SO4 ⁻ E | COLOR |
| 9172 | 20132836 | SM 4500-SO4 ⁻ E | COLOR |
| 9172 | 20132847 | SM 4500-SO4 ⁻ E | COLOR |
| 9177 | 10073004 | EPA 375.2 | AUTO |
| 9178 | 20211603 | SM 9223 B (Colilert Qu | CF-QN |
| 9178 | 60002644 | Colilert Quanti-Tray | CF-QN |
| 9179 | 20211443 | SM 9223 B (Colilert Qu | CF-QN |
| 9179 | 20211614 | SM 9223 B (Colilert Qu | CF-QN |
| 9183 | 20213610 | SM 9223 B (Colilert-18 | CF-QN |
| 9183 | 60002622 | Colilert -18 Quanti-Tra | CF-QN |
| 9183 | 60002688 | Colilert-18 (Fecal Colif | CF-QN |
| 9184 | 10007859 | EPA 1103.1 | MF-QN |
| 9185 | 20178614 | SM 9213 D | MF-QN |
| 9185 | 20178852 | SM 9213 D-2007 | MF-QN |
| 9186 | 30032009 | ASTM D5392-93 | MF-QN |
| 9187 | 10235004 | EPA 1106.1 | MF-QN |
| 9188 | 30031802 | ASTM D5259-92 | MF-QN |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 52 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 9190 | 10252605 | EPA 1000.0 - Fathead | TOX |
| 9191 | 10114815 | EPA 1001.0 - Fathead | TOX |
| 9192 | 10253006 | EPA 1002.0 - Ceriodap | TOX |
| 9193 | 10253404 | EPA 1004.0 - Sheepsh | TOX |
| 9194 | 10115614 | EPA 1005.0 - Sheepsh | TOX |
| 9195 | 10216214 | EPA 1007.0 - Mysid Cr | TOX |
| 9196 | 10216612 | EPA 2004.0 - Sheepsh | TOX |
| 9197 | 10216010 | EPA 2007.0 - Mysid Ac | TOX |
| 9198 | 10264809 | EPA 2000.0 - Fathead | TOX |
| 9199 | 10214581 | EPA 2002.0 - Ceriodap | TOX |
| 9211 | 10205808 | EPA 9211 | POT |
| 9212 | 10206005 | EPA 9212 | POT |
| 9214 | 10206403 | EPA 9214 | POT |
| 9215 | 10205604 | EPA 9210A | POT |
| 9250 | 10207202 | EPA 9250 | COLOR |
| 9251 | 10207406 | EPA 9251 | COLOR |
| 9252 | 10208001 | EPA 9253 | TITR |
| 9299 | 90000207 | DOE EML sec 4.5.2.3 | GAMMA CNT |
| 9300 | 20158809 | SM 7110 C (GPC) | PROP CNT |
| 9300 | 20158810 | SM 7110 C (GPC) | PROP CNT |
| 9300 | 20158832 | SM 7110 C (GPC) | PROP CNT |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 53 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|----------------|-----------------|-----------------------|---------------|
| 9300 | 20159028 | SM 7110 C (GPC)-2000 | PROP CNT |
| 9302 | 90000401 | DOE EML Ga-01-R | GAMMA CNT |
| 9303 | 20162407 | SM 7500-Cs B (GPC) | PROP CNT |
| 9303 | 20162418 | SM 7500-Cs B (GPC) | PROP CNT |
| 9303 | 20162429 | SM 7500-Cs B (GPC) | PROP CNT |
| 9303 | 20163660 | SM 7500-Cs B-2000 (G | PROP CNT |
| 9304 | 30011600 | ASTM D2459-72 | PROP CNT |
| 9305 | 10290605 | EPA/600/4-75-008 p. 6 | PROP CNT |
| 9305 | 10290809 | EPA/600/4-75-008 p. 9 | PROP CNT |
| 9306 | 20164403 | SM 7500-I B (GPC) | PROP CNT |
| 9306 | 20164414 | SM 7500-I B (GPC) | PROP CNT |
| 9306 | 20164436 | SM 7500-I B (GPC) | PROP CNT |
| 9306 | 20164447 | SM 7500-I B (GPC)-20 | PROP CNT |
| 9306 | 20166409 | SM 7500-I C (GPC) | PROP CNT |
| 9306 | 20166432 | SM 7500-I C (GPC) | PROP CNT |
| 9306 | 20166454 | SM 7500-I C (GPC) | PROP CNT |
| 9306 | 20166614 | SM 7500-I C (GPC)-20 | PROP CNT |
| 9306 | 20168405 | SM 7500-I D (GPC) | PROP CNT |
| 9306 | 20168438 | SM 7500-I D (GPC) | PROP CNT |
| 9306 | 20168450 | SM 7500-I D (GPC) | PROP CNT |
| 9306 | 20168610 | SM 7500-I D (GPC)-20 | PROP CNT |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 54 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 9307 | 30017327 | ASTM D3649-06 | GAMMA CNT |
| 9307 | 30017404 | ASTM D3649-91 | GAMMA CNT |
| 9307 | 30017459 | ASTM D3649-98A | GAMMA CNT |
| 9308 | 10200938 | EPA 907.0 | PROP CNT |
| 9310 | 10211004 | EMSL-LV p. 33 | 99 |
| 9312 | 10311601 | EPA Ra-04 | SCIN CNT |
| 9313 | 10310006 | EPA 905.0 | PROP CNT |
| 9314 | 20171806 | SM 7500-Ra C | SCIN CNT |
| 9314 | 20171817 | SM 7500-Ra C | SCIN CNT |
| 9314 | 20171839 | SM 7500-Ra C | SCIN CNT |
| 9314 | 20172616 | SM 7500-Ra C-2001 | SCIN CNT |
| 9315 | 30013731 | ASTM D3454-05 | SCIN CNT |
| 9315 | 30013800 | ASTM D3454-91 | SCIN CNT |
| 9315 | 30026405 | ASTM D3454-97 | SCIN CNT |
| 9316 | 40021407 | USGS R-1141-76 | SCIN CNT |
| 9317 | 90013404 | NYDOH Ra-02 (ASC) | SCIN CNT |
| 9318 | 10309407 | EPA 903.0 | PROP CNT |
| 9319 | 10311407 | EPA Ra-03 | PROP CNT |
| 9320 | 10289802 | EPA/600/4-75-008 p. 2 | PROP CNT |
| 9321 | 10212609 | EPA Ra-05 | PROP CNT |
| 9322 | 10210807 | EMSL-LV p. 19 | PROP CNT |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 55 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 9323 | 20173404 | SM 7500-Ra D | PROP CNT |
| 9323 | 20173415 | SM 7500-Ra D | PROP CNT |
| 9323 | 20173437 | SM 7500-Ra D | PROP CNT |
| 9323 | 20173619 | SM 7500-Ra D-2001 | PROP CNT |
| 9324 | 40021601 | USGS R-1142-76 | PROP CNT |
| 9325 | 90013404 | NYDOH Ra-02 (ASC) | PROP CNT |
| 9326 | 90012605 | NJ DEP Ra228 | PROP CNT |
| 9327 | 10406458 | EPA Method 913 | SCIN CNT |
| 9330 | 10211208 | EMSL-LV p. 65 | PROP CNT |
| 9331 | 20174805 | SM 7500-Sr B | PROP CNT |
| 9331 | 20174816 | SM 7500-Sr B | PROP CNT |
| 9331 | 20174838 | SM 7500-Sr B | PROP CNT |
| 9331 | 20175013 | SM 7500-Sr B-2001 | PROP CNT |
| 9332 | 40021805 | USGS R-1160-76 | PROP CNT |
| 9333 | 90008201 | DOE EML Sr-01-RC (GI | PROP CNT |
| 9333 | 90008405 | DOE EML Sr-01-RC (GI | PROP CNT |
| 9334 | 10213000 | EPA Sr-04 | PROP CNT |
| 9335 | 90009000 | DOE EML Sr-02-RC (GI | PROP CNT |
| 9336 | 10308584 | EPA 901.0 | SCIN CNT |
| 9337 | 90009204 | DOE EML Sr-02-RC (GI | PROP CNT |
| 9338 | 20161404 | SM 7500-3H B | SCIN CNT |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 56 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 9338 | 20161415 | SM 7500-3H B | SCIN CNT |
| 9338 | 20161437 | SM 7500-3H B | SCIN CNT |
| 9338 | 20161619 | SM 7500-3H B-2000 | SCIN CNT |
| 9339 | 30018770 | ASTM D4107-08 | SCIN CNT |
| 9339 | 30018805 | ASTM D4107-91 | SCIN CNT |
| 9339 | 30018850 | ASTM D4107-98 (02) | SCIN CNT |
| 9340 | 40022002 | USGS R-1171-76 | SCIN CNT |
| 9341 | 20175808 | SM 7500-U B (GPC) | PROP CNT |
| 9341 | 20175819 | SM 7500-U B (GPC) | PROP CNT |
| 9341 | 20175831 | SM 7500-U B (GPC) | PROP CNT |
| 9341 | 20176016 | SM 7500-U B (GPC)-2C | PROP CNT |
| 9342 | 30030309 | ASTM D3972-09 | AS |
| 9342 | 30030605 | ASTM D3972-97 | AS |
| 9342 | 30033080 | ASTM D3972-02 | AS |
| 9343 | 10250007 | EPA 00-07 | 99 |
| 9345 | 20177804 | SM 7500-U C | 99 |
| 9345 | 20177815 | SM 7500-U C | 99 |
| 9345 | 20177837 | SM 7500-U C | 99 |
| 9345 | 20178012 | SM 7500-U C-2000 | 99 |
| 9346 | 40023005 | USGS R-1182-76 | 99 |
| 9347 | 90011408 | DOE EML U-02-RC | AS |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 57 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 9348 | 10310608 | EPA 908.1 | COLOR |
| 9349 | 30025402 | ASTM D2907-97 | COLOR |
| 9350 | 40022604 | USGS R-1180-76 | COLOR |
| 9351 | 40022808 | USGS R-1181-76 | COLOR |
| 9352 | 90011806 | DOE EML U-04-RC | COLOR |
| 9353 | 40020608 | USGS R-1110-76 | GAMMA CNT |
| 9354 | 20160401 | SM 7120 B | GAMMA CNT |
| 9354 | 20160412 | SM 7120 B | GAMMA CNT |
| 9354 | 20160434 | SM 7120 B | GAMMA CNT |
| 9354 | 20160605 | SM 7120 B-1997 | GAMMA CNT |
| 9355 | 10211606 | EMSL-LV p. 92 | GAMMA CNT |
| 9356 | 90011204 | DOE EML U-02-RC | AS |
| 9357 | 40020802 | USGS R-1111-76 | PROP CNT |
| 9358 | 30019751 | ASTM D4785-00A | GAMMA CNT |
| 9358 | 30019773 | ASTM D4785-08 | GAMMA CNT |
| 9358 | 30031404 | ASTM D4785-93 | GAMMA CNT |
| 9359 | 90006807 | DOE EML Ra-04 | SCIN CNT |
| 9360 | 20001007 | SM 305 | PROP CNT |
| 9361 | 20170405 | SM 7500-Ra B (GPC) | PROP CNT |
| 9361 | 20170416 | SM 7500-Ra B (GPC) | PROP CNT |
| 9361 | 20170610 | SM 7500-Ra B (GPC)-2 | PROP CNT |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 58 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 9362 | 30011633 | ASTM D2460-07 (GPC) | PROP CNT |
| 9362 | 30025004 | ASTM D2460-97 (GPC) | PROP CNT |
| 9363 | 40014606 | USGS R-1140-76 | PROP CNT |
| 9364 | 20054200 | SM 304 (GPC) | PROP CNT |
| 9365 | 20000606 | SM 303 | PROP CNT |
| 9366 | 20001201 | SM 306 | SCIN CNT |
| 9367 | 30002303 | ASTM D5174-02 | COLOR |
| 9367 | 30002358 | ASTM D5174-07 | COLOR |
| 9367 | 30031608 | ASTM D5174-97 | COLOR |
| 9368 | 20173700 | SM 7500-Rn B | SCIN CNT |
| 9368 | 20173711 | SM 7500-Rn B | SCIN CNT |
| 9368 | 20173733 | SM 7500-Rn B | SCIN CNT |
| 9368 | 20173744 | SM 7500-Rn B-2006 | SCIN CNT |
| 9368 | 20173755 | SM 7500-Rn B-2011 | SCIN CNT |
| 9369 | 30032225 | ASTM D5072-92 | SCIN CNT |
| 9370 | 90013631 | NYDOH Ra-03 (BGCS) | GAMMA CNT |
| 9377 | 10309305 | EPA 9016 | COLOR |
| 9378 | 10198808 | EPA 9050A | COND |
| 9380 | 10243206 | EPA 9012B | AUTO |
| 9380 | 10243228 | EPA 9012B | AUTO |
| 9382 | 60033354 | Tecta EC/TC | CF-QL |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 59 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|---|----------------------|
| 9503 | 30032930 | ASTM D7237-10 | AMP |
| 9504 | 30030901 | ASTM D4282-02 | COLOR |
| 9510 | 60005778 | HACH 10267 | IR |
| 9511 | 60005756 | HACH 10261 | IR |
| 9513 | 30033057 | ASTM D7284-13 (17) | AMP |
| 9514 | 30033068 | ASTM D7511-12 (17) | AMP |
| 9515 | 30024885 | ASTM D2036-09B (15) | TITR |
| 9516 | 30024885 | ASTM D2036-09B (15) | COLOR |
| 9517 | 30024841 | ASTM D2036-09A (15) | TITR |
| 9518 | 30024841 | ASTM D2036-09A (15) | COLOR |
| 9519 | 30024841 | ASTM D2036-09A (15) | IC |
| 9520 | 30024841 | ASTM D2036-09A (15) | ISE |
| 9521 | 20013836 | SM 4500-NO ₃ ⁻ D | ISE |
| 9522 | 30018350 | ASTM D3867-16B | COLOR |
| 9523 | 30018349 | ASTM D3867-16A | AUTO |
| 9524 | 20018585 | SM 4500-NO ₃ ⁻ I-2016 | AUTO |
| 9525 | 40005263 | USGS I-2545-90 | AUTO |
| 9526 | 40005296 | USGS I-2548-11 | AUTO |
| 9527 | 30034107 | ASTM D7781-14 | AUTO |
| 9528 | 20018596 | SM 4500-NO ₃ ⁻ J-2018 | COLOR |
| 9529 | 40005241 | USGS I-2540-90 | AUTO |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 60 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|----------------|-----------------|---|---------------|
| 9530 | 40012804 | USGS I-4545-85 | AUTO |
| 9532 | 40016000 | USGS I-2601-90 | AUTO |
| 9901 | 20076920 | SM 4110 C | IC |
| 9901 | 20076964 | SM 4110 C-2011 | IC |
| 9902 | 20076942 | SM 4110 D-2011 | IC |
| 9902 | 20076997 | SM 4110 D | IC |
| 9903 | 20076986 | SM 4140 B-2011 | CIE-UV |
| 9903 | 20077014 | SM 4140 B | CIE-UV |
| 9905 | 20133613 | SM 4500-SO ₄ ⁻ F | AUTO |
| 9905 | 20133635 | SM 4500-SO ₄ ⁻ F | AUTO |
| 9905 | 20133817 | SM 4500-SO ₄ ⁻ F-2011 | AUTO |
| 9905 | 20134218 | SM 4500-SO ₄ ⁻ G | AUTO |
| 9905 | 20134412 | SM 4500-SO ₄ ⁻ G-2011 | AUTO |
| 9906 | 20132461 | SM 4500-SO ₄ ⁻ E-2011 | COLOR |
| 9906 | 20132836 | SM 4500-SO ₄ ⁻ E | COLOR |
| 9906 | 20132847 | SM 4500-SO ₄ ⁻ E | COLOR |
| 9913 | 90019117 | Systea Easy (1-Reager | COLOR |
| 9914 | 60009656 | Waters D6508 | CIE-UV |
| 9917 | 20129617 | SM 4500-SiO ₂ E | AUTO |
| 9917 | 20129639 | SM 4500-SiO ₂ E | AUTO |
| 9917 | 20129811 | SM 4500-SiO ₂ E-2011 | AUTO |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 61 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 9917 | 20129844 | SM 4500-SiO2 F | AUTO |
| 9917 | 20129877 | SM 4500-SiO2 F-2011 | AUTO |
| 9920 | 20127406 | SM 4500-Si E | COLOR |
| 9920 | 20127600 | SM 4500-Si E | COLOR |
| 9921 | 20127804 | SM 4500-Si F | COLOR |
| 9921 | 20128001 | SM 4500-Si F | COLOR |
| 9922 | 30033024 | ASTM D7511-12 | AMP |
| 9923 | 10195003 | EPA 9023 | COUL |
| 9924 | 30033013 | ASTM D7284-13 | AMP |
| 9927 | 10402809 | EPA Method 201 | GRAV |
| 9928 | 10402901 | EPA Method 201A | GRAV |
| 9929 | 10404305 | EPA Method 5 | GRAV |
| 9930 | 10402707 | EPA Method 17 | GRAV |
| 9931 | 50000492 | AOAC 993.14 | ICP-MS |
| 9935 | 10196200 | EPA 9035 | COLOR |
| 9936 | 10196404 | EPA 9036 | COLOR |
| 9938 | 10196608 | EPA 9038 | COLOR |
| 9944 | | | COLOR |
| 9945 | 60039932 | FIAlab 100 | AUTO |
| 9947 | 20197415 | SM 9221 F | FB-QN |
| 9947 | 20197448 | SM 9221 F | FB-QN |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 62 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|------------------------|----------------------|
| 9947 | 20197619 | SM 9221 F-2006 | FB-QN |
| 9948 | 60034302 | Timberline Ammonia-0 | AUTO |
| 9956 | 10199607 | EPA 9056A | IC-COND |
| 9957 | 10199801 | EPA 9057A | IC-COND |
| 9958 | 20143413 | SM 5520 F-2011 | GRAV |
| 9959 | 20051610 | SM 2540 E-2015 | GRAV |
| 9961 | 10244823 | EPA 9060A | IR |
| 9962 | 20069867 | SM 3500-K C | ISE |
| 9962 | 20069889 | SM 3500-K C-2011 | ISE |
| 9963 | 20124816 | SM 4500-P F | AUTO |
| 9963 | 20124838 | SM 4500-P F | AUTO |
| 9963 | 20125024 | SM 4500-P F-2011 | AUTO |
| 9963 | 20125115 | SM 4500-P G | AUTO |
| 9963 | 20125148 | SM 4500-P G-2011 | AUTO |
| 9964 | 20124816 | SM 4500-P F | AUTO |
| 9964 | 20125024 | SM 4500-P F-2011 | AUTO |
| 9964 | 20125160 | SM 4500-P H | AUTO |
| 9965 | 10200405 | EPA 9065 | COLOR |
| 9966 | 10200609 | EPA 9066 | COLOR |
| 9967 | 10200803 | EPA 9067 | COLOR |
| 9968 | 20112010 | SM 4500-NH3 H | AUTO |

| | | | |
|------------------------------|-------------|-------------|-----------------|
| SUBJECT | DATE | PAGE | Item No. |
| TNI Methods & Technology Ids | 11/29/2022 | 63 of 63 | 180.8 |

| ELAP method ID | TNI Method Code | TNI Method Name | Technology ID |
|-----------------------|------------------------|---------------------------------|----------------------|
| 9968 | 20112214 | SM 4500-NH3 H-2011 | AUTO |
| 9969 | 10245020 | EPA 9070A | GRAV |
| 9972 | 10201806 | EPA 9071B | GRAV |
| 9992 | 10305609 | EPA 8015D | GC-FID |
| 9993 | 10173009 | EPA 8011 | GC-ECD |
| 9996 | 10173816 | EPA 8015C | GC-FID |
| 9998 | 20013819 | SM 4500-NO3 ⁻ D | POT |
| 9998 | 20013836 | SM 4500-NO3 ⁻ D | POT |
| 9998 | 20113808 | SM 4500-NO3 ⁻ D | POT |
| 9998 | 20114107 | SM 4500-NO3 ⁻ D-2000 | POT |
| 9998 | 20114118 | SM 4500-NO3 ⁻ D-2011 | POT |